IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re	Patent A	application of		
FINN	et al.		Atty. Ref.:	620-379
Seria	l No.	10/542,281	Group:	unknown
Filed	Ju	ly 15, 2005	Examiner:	Unknown
For:	• • • • • • • • • • • • • • • • • • • •	AMIC ACID COMPOUNDS COMPRISI R OR KETONE LINKAGE AS HDAC IN		•
P.O.	Box 145	er for Patents 0 A 22313-1450	August 11,	2005
Sir:		INFORMATION DISCLOSURE	STATEMEN1	<u> </u>
\boxtimes	1.	PTO-1449 Pursuant to 37 CFR 1.97(I within 3 months of filing or prior to 1st	•	on the merits] <i>N/C</i>
	2.(a)	Statement Pursuant to 37 CFR 1.97([before Final Office Action or Allowanc Statement or Rule 17(p) fee)]		ule 97(e) N/C
	2 .(b)	Fee Payment Pursuant to 37 CFR 1.5 [before Final Office Action or Allowand Statement or Rule 17(p) fee)]	e (requires Ru	
	3.	Pursuant to 37 CFR 1.97(d) [after Final Office Action or Allowance Statement and Rule 17(p) fee), but be	•	* *

The following are submitted in the above-identified application in compliance with 37 C.F.R. §§ 1.97 and 1.98:

	4.	iden eacl	A list of documents on Form PTO-1449 together with copies of each identified document and a translation or a concise explanation of each non-English language document (such as a Search Report) is enclosed herewith.			
This p	aper i	is sub	omitted in accordance with:			
\boxtimes	5.	37 (CFR 1.97(b): [within 3 months of filing or prior to 1st Office Action]			
	6.	37 CFR 1.97(c): [before Final Office Action or Allowance, whichever is earliand				
		a)	The required Statement made in item 8 below; or			
		b)	The \$180.00 fee specified in 37 CFR §1.17(p) for submission of this Information Disclosure Statement is authorized in item 9 below.			
	7.	37 CFR §1.97(d): [after Final Office Action or Allowance (requires Rule 97(e) Statement and Rule 17(p) fee), but before final fee payment]; and				
		a)	The fee (\$180.00) required by 37 CFR §1.17(p) is submitted herewith; and			
		b)	The required Statement is stated in item 8 below.			
	8.	Stat	ement under 37 CFR 1.97(e)			
		a)	The undersigned attorney of record hereby certifies under 37 C.F.R. §1.97(e) that each item of information contained in this Information Disclosure Statement was first cited in a communication from a foreign patent office in a counterpart foreign application not more than three months prior to the filing of this Information Disclosure Statement (each item contained in this IDS was the first citation of that item by a foreign patent office in a counterpart foreign application which occurred no more than three months prior to the filing of this IDS); or			
		b)	No item of information contained in this Information Disclosure Statement was cited in a communication from a foreign patent office in a counterpart foreign application, and, to the knowledge of the person signing this Statement, after making reasonable inquiry, no item of information contained in this Statement was known to any individual designated in 37 CFR §1.56(c) more than three months prior to the filing of this Information Disclosure Statement.			

FINN et al. Serial No. 10/542,281

9. Please charge all deficiency fees associated with the submission of this Information Disclosure Statement and any other fees applicable to this application to Deposit Account No. 14-1140. An original and one (1) copy of this document are enclosed.

Respectfully submitted, NIXON & VANDERHYE P.C.

By Sado

Reg. No. 36,663

901 North Glebe Road, 11th Floor

Arlington, VA 22203-1808 Telephone: (703) 816-4000

Facsimile: (703) 816-4100

10/542281

Sheet	1 of 6				-0/5	422	RI
INFORM	MATION DISCLOSU	RE ATTY. D	OCKET NO.	SERIAL NO.			₩
	CITATION	620-3	79	10/542,281			\mathcal{X}
	OHAHON	APPLICA		10/0/12,20			
		FINN	ot al			_)
(Use	several sheets if necessary)	FILING		GROUP			
,	••	lukz 1	5, 2005	unknown			
			. PATENT DOCUMENTS	UTIKTIOVIT			
*EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING IF APPRO	DATE OPRIATE
	5,834,249	11/1998	Furukawa et al.				
		FORE	IGN PATENT DOCUMENT	S			
						TRANS	
	DOCUMENT	DATE	COUNTRY	CLASS	SUBCLASS	YES	NO
	WO 99/02510 /	01/1999	WIPO				
	WO 99/24399 ~	05/1999	WIPO				
	WO 00/12477 /	03/2000	WIPO				
	WO 00/12478 /	03/2000	WIPO				
	WO 00/37436 /	06/2000	WIPO		<u> </u>		
	WO 00/46221 /	08/ 2000	WIPO				
	WO 00/56704 /	09/2000	WIPO				l
	WO 00/69819 /	11/2000	WIPO				ļ
	WO 00/69839 /	11/2000	WIPO				
	WO 01/10834 /	02/2001	WIPO				İ
	WO 01/38322/	05/2001	WIPO		<u> </u>		
	WO 01/44189/	06/2001	WIPO				L
	WO 01/62751 /	08/ 2001	WIPO				
	WO 01/85680 /	11/2001	WIPO				
	WO 01/87870 /	11/2001	WIPO				
	WO 02/22577 /	03/2002	WIPO				
	WO 02/26696 /	04/2002	WIPO				
	WO 02/26703 /	04/2002	WIPO				
	WO 02/28829 /		WIPO				
	WO 02/30879 /	04/2002	WIPO				
	EP 0 574 758 /		Europe				
	EP 0 827 742 /	03/1998	Europe				
	EP 0 684 240 /	11/1995	Europe				
	JP 10-114681	05/1998	Japan				
	JP 57-077646 ~		Japan		<u> </u>	<u> </u>	
·	JP 49-000243 -	01/1974	Japan			<u> </u>	
	JP 04-217950 /		Japan			<u> </u>	<u>L</u>
	OTHED DOCUM	ENITO /inc	Juding Author Title Date	Dortinant n	adac ata	1	

Andrews et al., 2000, "Anti-malarial effect of histone deacetylation inhibitors and mammalian tumour cytodifferentiating agents," Int.J.Parasitol, Vol. 30, No. 6, pp. 761-768.

Barta et al., 2000, "Synthesis and activity of selective MMP inhibitors with an aryl backbone," Bioorg. Med. Chem. Lett., Vol. 10, No. 24, pp. 2815-2817.

*Examiner Date Considered

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.

Sheet 2 of 6



INFORMATION	DISCLOSURE
CITAT	ΓΙΟΝ

620-379 10/542,281
APPLICANT

FINN et al.

(Use several sheets if necessary) FILING DATE

GROUP

	July 15, 2005 unknown					
	OTHER DOCUMENTS (including Author, Title, Date, Pertinent pages, etc.)					
	Bernhard, D. et al., 1999, "Apoptosis induced by the histone deacetylase inhibitor sodium					
	butyrate in human leukemic lymphoblasts," <u>FASEB J., Vol. 13, No. 14, pp. 1991-2001.</u>					
	Bernstein et al., 2000, "Genomewide studies of histone deacetylase function in yeast," Proc.					
	Natl. Acad. Sci. USA, Vol. 97, No. 25, pp. 13708-13713.					
,	Brehm, A., et al., 1998, "Retinoblastoma protein recruits histone deacetylase to repress transcription," Nature, 1998, Vol. 391, pp. 597-601.					
 	Chang et al., 2000, "Activation of the BRLF1 promoter and lytic cycle of Epstein-Barr virus					
	by histone acetylation," Nucleic Acids Res., Vol. 28, No. 20, pp. 3918-3925.					
	Dangond et al., 1998, Differential Display Cloning of a Novel Human Histone Deacetylase					
	(HDAC3) cDNA from PHA-Activated Immune Cells," <u>Biochem. Biophys. Res. Commun.</u> ,					
	Vol. 242, No. 3, pp. 648-652.					
	David, G., et al., 1998, "Histone deacetylase associated with mSin3A mediates repression					
	by the acute promyelocytic leukemia-associated PLZF protein," Oncogene, Vol. 16(19),					
	pp. 2549-2556.					
	Davie, J.R., 1998, "Covalent modifications of histones: expression from chromatic					
	templates," Curr. Opin. Genet. Dev., Vol. 8, pp. 173-178.					
	Desai, D., et al., 1999, "Chemopreventive efficacy of suberanilohydroxamic acid (SAHA), a					
	cytodifferentiating agent, against tobacco-specific nitrosamine 4-(methylnitros-amino)-1-(3-					
	pyridyl)-1-butanone (NNK)-induced lung tumorigenesis in female A/J mice," Proceedings of					
	the American Association for Cancer Research, Pevention/Basic Science and Clinical					
-	Studies 4, Vol. 40, p. 362, Abstract No. 2396. Desmarets, C., et al., 2001, Nickel-catalysed sequential amination of aryl- and heteroaryl di-					
	and trichlorides," <u>Tetrahedron</u> , Vol. 57, pp. 7657-7664.					
	Emiliani, S., et al., 1998, "Characterization of a human RPD3 ortholog, HDAC3," Proc. Natl.					
	<u>Acad. Sci. USA,</u> Vol. 95, p. 2795-2800.					
	Finnin et al., 1999, "Structures of a histone deacetylase homologue bound to the TSA and					
	SAHA inhibitors," Nature, Vol. 401, pp. 188-193.					
	Grozinger et al., 1999, "Three proteins define a class of human histone deacetylases related					
	to yeast Hdalp," Proc. Natl. Acad. Sci. USA, Vol. 96, pp. 4868-4873.					
	Hartwig, J.F., et al., 1999, "Room-Temperature Palladium-Catalyzed Amination of Aryl					
	Bromides and Chlorides and Extended Scope of Aromatic C-N Bond Formation with a					
	Commercial Ligand," <u>J. Org. Chem.</u> , Vol. 64, pp. 5575-5580.					
	Hoshikawa, Y., et al., 1994, "Trichostatin A Induces Morphological Changes and Gelsolin					
	Expression by Inhibiting Histone Deacetylase in Human Carcinoma Cell Lines," Exp. Cell.					
	Res., Vol. 214(1), pp. 189-197.					
	Det Considered					
miner	Date Considered Date Considered					

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.

Examiner



INFORMATION DISCLOSURE CITATION

ATTY, DOCKET NO. SERIAL NO.
620-379 10/542,281
APPLICANT

AFFLICANI

(Use several sheets if necessary)

FINN et al.

July 15, 2005 unknown

	OTHER DOCUMENTS (including Author, Title, Date, Pertinent pages, etc.)					
	Hou et al., 2001, "Binding affinities for a series of selective inhibitors of gelatinase-A using					
	molecular dynamics with a linear interaction energy approach," <u>J. Phys. Chem. B</u> , Vol. 105,					
	No. 22, pp. 5304-5315.					
	Howe, L., et al., 1999, "Histone Acetyltransferase Complexes and Their Link to					
	Transcription," Crit. Rev. Eukaryot. Gene Expr., Vol. 9(3-4), pp. 231-243.					
	lavarone et al., 1999, "E2F and Histone Deacetylase Mediate Transforming Growth Factor B					
	Repression of <i>cdc25A</i> during Keratinocyte Cell Cycle Arrest," Mol. Cell Biol., Vol. 19, No. 1,					
	pp. 916-922.					
	Jung, M., et al., 1999, "Journal of Medicinal Chemistry (ACS, Washington, USA), Vol. 42,					
ŀ	No. 22, pp. 4669-4679.					
	Kao et al., 2000, "Isolation of a novel histone deacetylase reveals that class I and class II					
	deacetylases promote SMRT-mediated repression," Genes & Dev., Vol. 14, p. 55-66.					
	Kijima et al., 1993, "Trapoxin, an Antitumor Cyclic Tetrapeptide, Is an Irreversible Inhibitor of					
	Mammalian Histone Deacetylase*," J. Biol. Chem., Vol. 268, pp. 22429-22435.					
	Kim et al., 1999, "Oxamflatin is a novel antitumor compound that inhibits mammalian					
	histone deacetylase," Oncogene, Vol. 18(15), pp. 246I-2470.					
	Kim, M.S., et al., 2001 "Histone deacetylases induce angiogenesis by negative regulation					
	of tumour suppressor genes," Nature Medicine, Vol 7, No. 4, pp. 437-443.					
	Kimura et al., 1994, "Dual Modes of Action of Platelet-Derived Growth Factor and Its					
	Inhibition by Trichostatin-A for DNA Synthesis in Primary Cultured Smooth Muscle Cells of					
	Rat Aorta," Biol. Pharm. Bull., Vol. 17, No. 3, pp. 399-402.					
	Kitamura, K., et al., 2000, "Histone deacetylase inhibitor but not arsenic trioxide					
	differentiates acute promyelocytic leukaemia cells with t(11;17) in combination with all-trans					
	retinoic acid," <u>Br. J. Haematol.</u> , Vol. 108(4), pp. 696-702.					
	Kompis, I, Wick, A., 1977, "Synthesis of 4-halo-substituted analogs of trimethoprim," Helv.					
	Chim. Acta., Vol. 60, No. 8, pp. 3025-3034.					
	Kouzarides, T., 1999, "Histone acetylases and deacetylases in cell proliferation," Curr. Opin.					
	<u>Genet. Dev.</u> , Vol. 9, No. 1, pp. 40-48.					
	Kuusisto et al., 2001, "Ubiquitin-Binding Protein p62 Expression is Induced during Apoptosis					
	and Proteasomal Inhibition in Neuronal Cells," <u>Biochem. Biophys. Res. Commun.</u> , Vol. 280,					
L	No. 1, pp. 223-228.					
	Kwon et al., 1998, "Depudecin induces morphological reversion of transformed fibroblasts					
	via the inhibition of histone deacetylase," Proc. Natl. Acad. Sci. USA, Vol. 95, pp. 3356-					
	3361.					
	Laherty, C.D., et al., 1997, "Histone Deacetylases Associated with the mSin3 Corepressor					
L	Mediate Mad Transcriptional Repression," Cell, Vol. 89(3), pp. 349-356.					

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.

Date Considered

Sheet 4 of 6

INFORMATION DISCLOSURE	ATTY, DOCKET NO.		SERIAL NO.			
CITATION	620-379		10/542,281			
	APPLICANT					
(Han any word about if an annual)	FINN et al.		GROUP			
(Use several sheets if necessary)						
	July 15, 2005		unknown			
			Pertinent pages, etc.) Analogues on Erythroleukemia Cell			
1 1 1		_	Anticancer Res., Vol. 15,			
pp. 879-883.	tiation and mistorie b	eacetylase, <u>F</u>	tricarioci rics., voi. 10,			
	eased acetylation of	histones induc	ed by diallyl disulfide and			
structurally related me	olecules," Int. J. Onc	<u>col.</u> , Vol. 2, pp.	347-352.			
			omplex in acute promyelocytic			
leukaemia," Nature, '						
		bin by Histone	Deacetylase Inhibitors," Blood,			
Vol. 90, No. 5, pp. 20	75-2063.	egulation of Ge	elsolin Expression in Human Breast			
Cancer Cells," Exp. Cell. Res., Vol. 249(1), pp. 161-176. Nakajima et al., 1998, "FR901228, a Potent Antitumor Antibiotic, Is a Novel Histone						
Deacetylase Inhibitor," Exp. Cell Res., Vol. 241, pp. 126-133.						
	Ng, H.H. and Bird, A., 2000, "Histone deacetylases: silencers for hire," Trends Biochem					
Sci., Vol. 25(3), pp. 121-126. Niki et al., 1999, "A Histone Deacetylase Inhibitor, Trichostatin A, Suppresses						
Myofibroblastic Differentiation of Rat Hepatic Stellate Cells in Primary Culture," He						
Vol. 29, No. 3, pp. 85		alic Stellate Cel	is in i finally Culture, <u>Fieddology</u> ,			
Onishi et al., 1996, "Antibacterial Agents That Inhibit Lipid A Biosynthesis," S						
274, pp. 980-982.						
			ialkylphosphinobiphenyl Ligands fo			
1 1 1	Amination and Suzu	ki Reactions," <u> </u>	<u>J. Org. Chem.,</u> Vol. 66, pp. 3820-			
3827.	07 WMbatla us and d	lown with histor	no depostulation and			
Pazin, M.J., et al., 19 transcription?," <u>Cell</u> , \	97, What's up and d Vol. 89. No. 3, no. 32	10wn with histor 25-328	ne deacetylation and			
Bichon et al. 1996. "S	Second generation h	/brid polar com	pounds are potent inducers of			
			SA, Vol. 93, pp. 5705-5708.			
			ransformed cell differentiation			
			A, Vol. 95, pp. 3003-3007.			
			ylase, MS-27-275, with marked in			
_	/ against numan tum	ors, Proc. Nai	tl. Acad. Sci. USA, Vol. 96,			
pp. 4592-4597.	999 "Histone deacet	vlase inhibitors	as potential anti-skin cancer			
agents," Cancer Res.			ao poterniai ariii omii oanooi			
Examiner		Date Considered				

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.

Sheet 5 of 6

INFORMATION DISCLOSURE	ATTY, DOCKET NO.		SERIAL NO.
CITATION	620-379		10/542,281
	APPLICANT		
	FINN et al.		
(Use several sheets if necessary)	FILING DATE		GROUP
	July 15, 2005		unknown
			Pertinent pages, etc.)
phenotype to normal	one via induction of	JunD," Oncoge	which reverses malignant ene, Vol. 13, pp. 143-149.
Spencer, V.A. and Da regulating gene expre			nodifications of histones in
Suzuki et al., 1999, "S derivatives," <u>J. Med. (</u>	Synthesis and histor	ne deactylase in	hibitory activity of new benzamide
Takahashi, I., et al, 19	ne expression by trichostatin A, a ntibiot. (Tokyo), Vol. 49, No. 5,		
Taunton, J., et al., 19 transcriptional regulat			lase related to the yeast 108-411.
Tsuji et al., 1976, "A No. 1, pp. 1-6.	New Antifungal Anti	biotic, Trichosta	tin*," <u>J. Antibiot. (Tokyo)</u> , Vol. 29,
Chromobacterium vio	<i>laceum</i> No. 968," <u>J</u>	. Antibiot. (Toky	yclic depsipeptide produced by o), Vol. 47(3), pp. 315-323.
2000, <u>FEBS</u> , Vol. 478	3, pp. 77-83.		of human histone deacetylase 8,"
Antitumor Activity aga 976.	inst Breast Cancer	in vivo ¹ ," Clin.	tylase Inhibitor with Potent <u>Cancer Res.,</u> Vol. 7, No. 4, pp. 971-
			ion in Acute Promyelocytic " <u>J. Natl. Cancer Inst.</u> , Vol. 90,
Aryl Bromides," <u>J. Or</u>	g. Chem., Vol. 65, p	p. 1144-1157.	d/BINAP-Catalyzed Amination of
Amination of Aryl Chlo	orides, Bromides, a	nd Triflates," <u>J.</u>	em for the Palladium-Catalyzed Org. Chem., Vol. 65, pp. 1158-
repression by thyroid 520-534.	hormone receptor a	and histone dea	tin assembly in transcriptional cetylase," <u>EMBO J.</u> , Vol. 17(2), pp.
	g of the yeast globa		YY1 is mediated by interaction with D3," Proc. Natl. Acad. Sci. USA, Vol.
		Data Candidana	
Examiner		Date Considered	

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.

Sheet 6 of 6

INFORMATION DISCLOSURE	ATTY. DOCKET NO.	SE	RIAL NO.			
CITATION	620-379	10	0/542,281			
	APPLICANT					
	FINN et al.					
(Use several sheets if necessary)	FILING DATE		ROUP			
	July 15, 2005		nknown			
			ertinent pages, etc.)			
1 1 9 7	•		cDNAs corresponding to an family," <u>J. Biol. Chem.</u> , Vol 272,			
			emical probes for the role of bessays, Vol. 17, pp. 423-430.			
Dependent Nuclear E	Export," Ann. N. Y.	Acad. Sci., Vol. 886				
	Yoshida, M., Beppu, T., 1988, "Reversible arrest of proliferation of rat 3Y1 fibroblasts in both G1 and G2 phases by trichostatin A," Exp. Cell. Res., Vol. 177, pp. 122-131.					
	Yoshida, M., et al., 1990a, "Potent and Specific Inhibition of Mammalian Histone Deacetylase Both <i>in Vivo</i> and <i>in Vitro</i> by Trichostatin A*," <u>J. Biol. Chem.</u> , Vol. 265(28), pp. 17174-17179.					
specific inhibitor of m	Yoshida, M., et al., 1990b, "Structural specificity for biological activity of trichostatin A, a specific inhibitor of mammalian cell cycle with potent differentiation-inducing activity in friend leukemia cells," J. Antibiot. (Tokyo), Vol. 43(9), pp. 1101-1106.					
			:			
*Examiner		Date Considered	T			

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.